

STATE OF NEW MEXICO,
Office of State Engineer.

PERMIT TO CHANGE POINTS OF DIVERSION

Permit No. 0620.

Refers to Old Right No. 0620.

WHEREAS, on the 15th day of November, A. D., the Middle Rio Grande Conservancy District, a political subdivision of the State of New Mexico, with its principal offices at Albuquerque, County of Bernalillo, State of New Mexico, duly made formal application No. 0620 to the State Engineer of New Mexico for a permit to change points of diversion from the Rio Grande in accordance with the Official Plan of the Middle Rio Grande Conservancy District and with the Appraisal Record of said Middle Rio Grande Conservancy District, as filed with the District Court of the Second Judicial District, in the County of Bernalillo, State of New Mexico, and approved by said District Court on August 15th, 1928, said Court having jurisdiction in Conservancy proceedings; and

WHEREAS, a notice of said application was duly published in the New Mexico State Tribune, a newspaper of general circulation within the stream system, published at Albuquerque, County of Bernalillo, State of New Mexico, and publisher's proof by affidavit of said publication duly filed in this office on the 8th day of January, A. D., 1931; and

WHEREAS, there were no protests filed to said application.

NOW, THEREFORE, I, HERBERT W. YEO, State Engineer of the State of New Mexico, by virtue of the authority in me vested by the laws of said State, and after considering the merits of said application, do hereby grant to the Middle Rio Grande Conservancy District, a political subdivision of the State of New Mexico, with its principal offices at Albuquerque, County of Bernalillo, State of New Mexico, a permit to change the points of diversion of the ditches as shown by said application, and more particularly described as follows, to-wit:

Cochiti West Side Ditch, whence the southeast corner of Sec. 8, T. 16 N., R. 6 E., bears S. 5°00' E., 3,000 feet; Sili Ditch, whence the northeast corner of Sec. 25, T. 16 N., R. 5 E., bears N. 23°00' E., 2,200 feet; Santo Domingo West Side Ditch, whence the southwest corner of Sec. 25, T. 16 N., R. 5 E., bears S. 80°00' W., 3,000 feet; San Felipe Middle Ditch, whence the northeast corner of Sec. 4, T. 14 N., R. 5 E., bears N. 3°00' E.,

2,300 feet, to be changed to the point of diversion of the proposed Cochiti West Side Canal, at a point on the west bank of the Rio Grande whence the southeast corner of Sec. 8, T. 16 N., R. 6 E., bears S. 5°00' E., 2,250 feet.

Cochiti East Side Ditch, whence the southwest corner of Sec. 16, T. 16 N., R. 6 E., bears S. 20°00' W., 2,890 feet; Pena Blanca Ditch, whence the southeast corner of Sec. 17, T. 16 N., R. 6 E., bears S. 6°30' E., 2,750 feet; Santo Domingto East Side Ditch, whence the southeast corner of Sec. 19, T. 16 N., R. 6 E., bears S. 70°00' W., 1,800 feet; San Felipe Upper Ditch, whence the northwest corner of Sec. 26, T. 15 N., R. 5 E., bears N. 46°00' W., 4,250 feet; Algodones Ditch, whence the northwest corner of Sec. 30, T. 14 N., R. 5 E., bears N. 80°30' W., 2,700 feet; Santa Ana Ditch, whence the northwest corner of Sec. 30, T. 14 N., R. 5 E., bears N. 17°30' W., 3,850 feet; Bernalillo Community Ditch, whence the southeast corner of Sec. 36, T. 14 N., R. 4 E., bears S. 82°00' E., 2,800 feet, to be changed to the point of diversion of the proposed Cochiti East Side Canal, at a point on the east bank of the Rio Grande whence the southeast corner of Sec. 8, T. 16 N., R. 6 E., bears South 2,250 feet.

Bosque Ditch, whence the northeast corner of Sec. 30, T. 13 N., R. 4 E., bears East 1,080 feet; Sandia Ditch, whence the northeast corner of Sec. 30, T. 13 N., R. 4 E., bears N. 53°45' E., 1,750 feet; Alameda Ditch, whence the northeast corner of Sec. 35, T. 12 N., R. 3 E., bears N. 45°00' E., 700 feet; Chamisal Ditch, whence the northwest corner of Sec. 3, T. 11 N., R. 3 E., bears N. 42°45' W., 3,900 feet; Gallegos Ditch, whence the southwest corner of Sec. 20, T. 11 N., R. 3 E., bears S. 20°00' W., 3,900 feet; Griegos Ditch, whence the southwest corner of Sec. 20, T. 11 N., R. 3 E., bears S. 13°45' W., 3,300 feet; Barelitas Ditch, whence the southeast corner of Sec. 19, T. 11 N., R. 3 E., bears S. 43°30' E., 1,600 feet; Albuquerque Ditch, whence the southeast corner of Sec. 30, T. 11 N., R. 3 E., bears S. 50°00' E., 4,900 feet; Duranes Ditch, whence the southeast corner of Sec. 30, T. 11 N., R. 3 E., bears S. 76°00' E., 4,700 feet; Lagunitas Ditch, whence the southwest corner of Sec. 32, T. 10 N., R. 3 E., bears S. 4°30' W., 3,300 feet; Wilson Ditch, whence the northeast corner of Sec. 30, T. 10 N., R. 3 E., bears North 1,400 feet; Bernalillo Community Canal, whence the southeast corner of Sec. 36, T. 14 N., R. 4 E., bears S. 82°00' E., 2,800 feet; Thompson Ditch, whence the southwest corner of Sec. 11, T. 12 N., R. 3 E., bears S. 38°30' W., 2,900 feet; Corrales Ditch, whence the southwest corner of Sec. 11, T. 12 N., R. 3 E., bears S. 83°30' W., 2,000 feet; Herrera Ditch, whence the southwest corner of Sec. 13, T. 10 N., R. 2 E., bears S. 2°00' E., 2,400 feet; Atrisco Ditch, whence the southwest corner of Sec. 13, T. 10 N., R. 2 E., bears S. 68°00' W., 2,400 feet; Ranchos de Atrisco Ditch, whence the southwest corner of Sec. 13, T. 10 N., R. 2 E., bears S. 70°00' W., 2,500 feet; Arenal Ditch, whence the southwest corner of Sec. 13, T. 10 N., R. 2 E., bears West 3,200 feet; Pajarito Ditch, whence the southwest corner of Sec. 30, T. 10 N., R. 3 E., bears S. 85°45' W., 4,500 feet; Los Padillas Ditch, whence the northwest corner of Sec. 24, T. 9 N., R. 2 E., bears N. 38°00' W., 2,300 feet; Indian Ditch, whence the northwest corner of Sec. 25, T. 9 N., R. 2 E., bears N. 5°00' W., 3,200 feet, to be changed to the point of diversion of the proposed Albuquerque Main Canal, at a point on the East Bank of the Rio Grande, whence the southeast corner of Sec. 3, T. 13 N., R. 4 E., bears S. 65°15' E., 1,350 feet.


New Belen Ditch, whence the northwest corner of Sec. 26, T. 8 N., R. 2 E., bears N. 70°00' W., 4,000 feet; Los Lunas and Los Lentas Ditch, whence the southwest corner of Sec. 3, T. 7 N., R. 2 E., bears S. 46°00' W., 2,200 feet; Harlan Ditch, whence the southwest corner of Sec. 22, T. 7 N., R. 2 E., bears S. 50°00' W., 4,600 feet; Los Chavez Ditch, whence the southwest corner of Sec. 4, T. 6 N., R. 2 E., bears S. 50°30' W., 4,100 feet; Old Belen Ditch, whence the northwest corner of Sec. 16, T. 6 N., R. 2 E., bears N. 37°45' W., 900 feet; Sausal Ditch, whence the northwest corner of Sec. 21, T. 6 N., R. 2 E., bears N. 39°00' W., 1,500 feet; Garcia Ditch, whence the northwest corner of Sec. 32, T. 6 N., R. 2 E., bears West 2,500 feet; Rincon Ditch, whence the southeast corner of Sec. 5, T. 5 N., R. 2 E., bears S. 5°00' E., 2,200 feet; Old Jarales Ditch,

whence the southeast corner of Sec. 5, T. 5 N., R. 2 E., bears South 2,000 feet; Arroyos Ditch, whence the northeast corner of Sec. 8, T. 5 N., R. 2 E., bears North 2,500 feet; New Jarales Ditch, whence the southwest corner of Sec. 16, T. 5 N., R. 2 E., bears S. $19^{\circ}30'$ W., 2,000 feet; Jaral Ditch, whence the southwest corner of Sec. 32, T. 5 N., R. 2 E., bears S. $76^{\circ}00'$ W., 4,200 feet; Sabinal Ditch, whence the northwest corner of Sec. 5, T. 4 N., R. 2 E., bears N. $61^{\circ}30'$ W., 5,900 feet; San Francisco Ditch, whence the northwest corner of Sec. 35, T. 3 N., R. 1 E., bears N. $87^{\circ}00'$ W., 3,200 feet; Casa Colorado Ditch, whence the southwest corner of Sec. 9, T. 4 N., R. 2 E., bears S. $1^{\circ}00'$ W., 3,800 feet; San Juan Ditch, whence the northeast corner of Sec. 17, T. 4 N., R. 2 E., bears N. $82^{\circ}30'$ E., 4,100 feet; Las Nutrias Ditch, whence the southeast corner of Sec. 36, T. 4 N., R. 1 E., bears S. $58^{\circ}00'$ E., 1,750 feet; La Joya Ditch, whence the southeast corner of Sec. 26, T. 3 N., R. 1 E., bears S. $27^{\circ}00'$ W., 200 feet, to be changed to the point of diversion of the proposed Belen Highline Canal, at a point on the west bank of the Rio Grande, whence the southwest corner of Sec. 23, T. 8 N., R. 2 E., bears S. $70^{\circ}30'$ W., 7,500 feet.

Picuri Ditch, whence the southeast corner of Sec. 24, T. 8 N., R. 2 E., bears S. $44^{\circ}00'$ E., 3,700 feet; Chical Ditch, whence the southeast corner of Sec. 24, T. 8 N., R. 2 E., bears S. $47^{\circ}15'$ E., 3,600 feet; Cacique Ditch, whence the southeast corner of Sec. 24, T. 8 N., R. 2 E., bears S. $50^{\circ}00'$ E., 3,550 feet; Mill Ditch, whence the southeast corner of Sec. 26, T. 8 N., R. 2 E., bears S. $15^{\circ}00'$ E., 2,400 feet; Bosque Ditch, whence the southeast corner of Sec. 26, T. 8 N., R. 2 E., bears S. $16^{\circ}00'$ E., 2,100 feet; Middle Ditch, whence the southwest corner of Sec. 35, T. 8 N., R. 2 E., bears S. $22^{\circ}00'$ W., 3,800 feet; Peralta Ditch, whence the southwest corner of Sec. 35, T. 8 N., R. 2 E., bears S. $17^{\circ}30'$ W., 3,750 feet; Valencia Ditch, whence the northeast corner of Sec. 10, T. 7 N., R. 2 E., bears N. $32^{\circ}00'$ E., 1,400 feet; Las Cercas Ditch, whence the southeast corner of Sec. 15, T. 7 N., R. 2 E., bears S. $29^{\circ}45'$ E., 2,650 feet; San Fernandez Ditch, whence the northeast corner of Sec. 22, T. 7 N., R. 2 E., bears North 2,700 feet; La Constancia Ditch, whence the southeast corner of Sec. 27, T. 7 N., R. 2 E., bears S. $17^{\circ}00'$ E., 4,200 feet; Tome Ditch, whence the southeast corner of Sec. 34, T. 7 N., R. 2 E., bears S. $68^{\circ}45'$ E., 4,500 feet; Los Endames Ditch, whence the southeast corner of Sec. 9, T. 6 N., R. 2 E., bears S. $10^{\circ}15'$ E., 3,450 feet, to be changed to the point of diversion of the proposed Peralta Main Canal, at a point on the east bank of the Rio Grande, whence the southwest corner of Sec. 23, T. 8 N., R. 2 E., bears S. $72^{\circ}15'$ W., 8,400 feet.

San Acacia-Alamillo Ditch, whence the northwest corner of Sec. 6, T. 1 S., R. 1 E., bears N. $49^{\circ}15'$ W., 1,000 feet; Alamillo Ditch, whence the northwest corner of Sec. 6, T. 1 S., R. 1 E., bears N. $49^{\circ}15'$ W., 1,000 feet; Limitar Ditch, whence the southwest corner of Sec. 1, T. 1 S., R. 1 W., bears S. $64^{\circ}30'$ W., 1,700 feet; Polvadera Ditch, whence the northeast corner of Sec. 1, T. 1 S., R. 1 W., bears N. $27^{\circ}00'$ E., 1,430 feet; Old Bolenguin Ditch, whence the southwest corner of Sec. 1, T. 1 S., R. 1 W., bears S. $75^{\circ}00'$ W., 1,800 feet; Socorro Ditch, whence the southwest corner of Sec. 1, T. 2 S., R. 1 W., bears S. $83^{\circ}00'$ W., 4,800 feet; Luis Lopez Ditch, whence the southwest corner of Sec. 7, T. 3 S., R. 1 E., bears S. $54^{\circ}00'$ W., 4,100 feet; San Antonio Ditch, whence the southwest corner of Sec. 31, T. 3 S., R. 1 E., bears S. $74^{\circ}30'$ W., 4,800 feet; San Antonito Ditch, whence the northwest corner of Sec. 32, T. 4 S., R. 1 E., bears N. $86^{\circ}15'$ W., 3,850 feet, to be changed to the point of diversion of the proposed Socorro Main Canal, at a point on the west bank of the Rio Grande, whence the northwest corner of Sec. 6, T. 1 S., R. 1 E., bears N. $4^{\circ}45'$ W., 1,300 feet.

WITNESS my hand and official seal this 26th day of January, A. D., 1931.


State Engineer.